

Registered with the Registrar
of Newspapers for India under
No. M. 8270



Registered No.
TN/PMG(CCR)/42/2012-14
WPP No. 88(556)
Dated : 9-4-2013
Price : ₹ 4-00

புதுச்சேரி மாநில அரசிதழ்

La Gazette de L'État de Poudouchéry

The Gazette of Puducherry

PART - II

சிறப்பு வெளியீடு	EXTRAORDINAIRE	EXTRAORDINARY
அதிகாரம் பெற்ற வெளியீடு	Publiée par Autorité	Published by Authority
விலை : ₹ 4-00	Prix : ₹ 4-00	Price : ₹ 4-00

எண்	புதுச்சேரி	செவ்வாய்க்கிழமை	2013 ஆ	ஏப்ரல் மீ	9 மீ
No.	14 Poudouchéry	Mardi	9	Avril	2013
No.	Puducherry	Tuesday	9th	April	2013
(19 Chaitra 1935)					

GOVERNMENT OF PUDUCHERRY

LABOUR DEPARTMENT

(G.O. Ms. No. 19/AIL/Lab./J/2013, dated 9th April 2013)

NOTIFICATION

Whereas, the Lieutenant-Governor, Puducherry has proposed to make, in exercise of the powers conferred by section 112 of the Factories Act, 1948 (Central Act No. 63 of 1948), the following rules;

And whereas, the draft rules which were issued in the Labour Department's notification under G. O. Ms. No. 4/AIL/Lab./J/2013, dated 18th January 2013 were pre-published as required under sub-section (1) of section 115 of the Factories Act, 1948 in the Extraordinary

Gazette No. 3, dated 21st January 2013 of the Government of Puducherry for information of the public, inviting objections and suggestions, if any, from all the persons likely to be affected thereby till the expiry of forty-five days from the date of publication of the said notification in the official gazette;

And whereas, no objection or suggestion has been received within the abovesaid period;

Now, therefore, in exercise of the powers conferred by section 112 of the Factories Act, 1948 (Central Act No. 63 of 1948), the Lieutenant-Governor, Puducherry hereby makes the following rules, namely:—

1. *Short title and commencement.*— (1) These rules may be called the Puducherry Factories (Amendment) Rules, 2013.

(2) They shall come into force on the date of their publication in the official gazette.

2. *Amendment to rule 114A.*— In the Puducherry Factories Rules, 1964, in rule 114A, for the existing Table-I, under Schedule thereunder, the following Table shall be substituted, namely:—

“TABLE -I

**PERMISSIBLE LEVELS OF CERTAIN CHEMICAL
SUBSTANCES IN WORK ENVIRONMENT**

Sl. No.	Substance	Permissible limits of exposure			
		Time-weighted Average concentration (TWA) (8 hrs.)		Short-term exposure limit (STEL) (15 min.)	
		ppm.	mg/m ³ **	ppm.	mg/m ³ **
(1)	(2)	(3)	(4)	(5)	(6)
1	Acetaldehyde	100	180	150	270
2	Acetic acid	10	25	15	37
3	Acetone	750	1,780	1,000	2,375
4	Acrolein	0.1	0.25	0.3	0.8

(1)	(2)	(3)	(4)	(5)	(6)
5	Acrylonitrile-Skin (S.C)	2	4.5	—	—
6	Aldrin-Skin	—	0.25	—	—
7	Allyl Chloride	1	3	2	6
8	Ammonia	25	18	35	27
9	Aniline-Skin	2	10	—	—
10	Anisidine (o-, p-isomers)-Skin	0.1	0.5	—	—
11	Arsenic and soluble compounds (as As).	—	0.2	—	—
12	Benzene (H.C.)	0.5	1.5	2.5	7.5
13	Beryllium and Compounds (as Be) (S.C.).	—	0.002	—	—
14	Boron trifluoride-C	1	3	—	—
15	Bromine	0.1	0.7	0.3	2
16	Butane	800	1,900	—	—
17	2-Butanone (Methyl-ethyl Ketone-MEK).	200	590	300	885
18	n-Butyl acetate	150	710	200	950
19	n-Butyl alcohol-Skin-C	50	150	—	—
20	Sec/tert, Butyl acetate	200	950	—	—
21	Butyl mercaptan	0.5	1.5	—	—
22	Cadmium-dusts and salts (as Cd).	—	0.05	—	—
23	Calcium oxide	—	2	—	—
24	Carbaryl (Sevin)	—	5	—	—
25	Carbofuran (Furadan)	—	0.1	—	—
26	Carbon disulphide -Skin	10	30	—	—
27	Carbon monoxide	50	55	400	440
28	Carbon tetrachloride-Skin (S.C.)	5	30	—	—
29	Chlordane -Skin	—	0.5	—	2
30	Chlorine	1	3	3	9

(1)	(2)	(3)	(4)	(5)	(6)
31	Chlorobenzene (Monochlorobenzene).	75	350	—	—
32	Chloroform (S.C.)	10	50	—	—
33	bis (Chloromethyl) ether (H.C.).	0.001	0.005	—	—
34	Chromic acid and chromates (as Cr) (Water soluble).	—	0.05	—	—
35	Chrombus salts (as Cr)	—	0.5	—	—
36	Copper fume	—	0.2	—	—
37	Cotton dust, raw	—	0.2*	—	—
38	Cresol, all isomers-Skin	5	22	—	—
39	Cyanide (as CN)-Skin	—	5	—	—
40	Cyanogen	10	20	—	—
41	DDT (Dichlorodiphenyl trichloroethane).	—	1	—	—
42	Demeton-Skin	0.01	0.1	—	—
43	Diazinon-Skin	—	0.1	—	—
44	Dibutyl phthalate	—	5	—	—
45	Dichlorvos (DDVP)-Skin	0.1	1	—	—
46	Dieldrin-Skin	0.25	—	—	—
47	Dinitrobenzene (all isomers)-Skin.	0.15	1	—	—
48	Dinitrotoluene-Skin	—	1.5	—	—
49	Diphenyl (Biphenyl)	0.2	1.5	—	—
50	Endosulfan (Thiodan)-Skin	—	0.1	—	—
51	Endrin-Skin	—	0.1	—	—
52	Ethyl acetate	400	1,400	—	—
53	Ethyl alcohol	1,000	1,900	—	—
54	Ethylamine	10	18	—	—
55	Fluoride (as F)	—	2.5	—	—
56	Fluorine	1	2	2	4

(1)	(2)	(3)	(4)	(5)	(6)
57	Formaldehyde (S.C.)	1.0	1.5	2	3
58	Formic acid	5	9	—	—
59	Gasoline	300	900	500	1,500
60	Hydrazine-Skin (S.C.)	0.1	0.1	—	—
61	Hydrogen chloride-C	5	7	—	—
62	Hydrogen cyanide-Skin-C	10	10	—	—
63	Hydrogen fluoride(as F)-C	3	2.5	—	—
64	Hydrogen peroxide	1	1.5	—	—
65	Hydrogen Sulphide	10	14	15	21
66	Iodine-C	0.1	1	—	—
67	Iron Oxide Fume (Fe ₂ O ₃ (as Fe).	—	5	—	—
68	Isoamyl acetate	100	525	—	—
69	Isoamyl alcohol	100	360	125	450
70	Isobutyl alcohol	50	150	—	—
71	Lead, inorg, dusts and fumes (as Pb).	—	0.15	—	—
72	Lindane-Skin	—	0.5	—	—
73	Malathion-Skin	—	10	—	—
74	Manganese dust and compounds as (Mn)-C.	—	5	—	—
75	Manganese fume (as Mn)	—	1	—	0.03
76	Mercury (as Hg)-Skin—				
	(i) Alkyl compounds	—	0.01	—	0.03
	(ii) All forms except alkyl vapour	—	0.05	—	—
77	Aryl and inorganic compounds	—	0.1	—	—
78	Methyl alcohol (Methanol)-Skin	200	260	250	310
79	Methyl cellosolve (2-methoxyethanol)-Skin.	5	16	—	—

(1)	(2)	(3)	(4)	(5)	(6)
80	Methyl isobutyl ketone	50	205	75	300
81	Methyl isocyanate-Skin	0.02	0.05	—	—
82	Naphthalene	10	50	15	75
83	Nickel carbonyl (as Ni)	0.05	0.35	—	—
84	Nitric acid	2	5	4	10
85	Nitric Oxide	25	30	—	—
86	Nitrobenzene-Skin	1	5	—	—
87	Nitrogen dioxide	3	6	5	10
88	Oil mist mineral	—	5	—	10
89	Ozone	0.1	0.2	0.3	0.6
90	Parathion-Skin	—	0.1	—	—
91	Phenol-Skin	5	19	—	—
92	Phorate (Thimet)-Skin	—	0.05	—	0.2
93	Phosgene (Carbonyl chloride)	0.1	0.4	—	—
94	Phosphine	0.3	0.4	1	1
95	Phosphoric acid (yellow)	—	1	—	3
96	Phosphorus (yellow)	—	0.1	—	—
97	Phosphorous pentachloride	0.1	1	—	—
98	Phosphorus trichloride	0.2	1.5	0.5	3
99	Picric acid-Skin	—	0.1	—	0.3
100	Pyridine	5	15	—	—
101	Silane (Silicon tetrahydride)	5	7	—	—
102	Sodium hydroxide-C	—	2	—	—
103	Styrene, monomer (Phenylethylene).	50	215	100	425
104	Sulphur dioxide	2	5	5	10
105	Sulphur hexafluoride	1,000	6,000	—	—
106	Sulphuric acid	—	1	—	—
107	Tetraethyl lead (as Pb)-Skin	—	0.1	—	—

(1)	(2)	(3)	(4)	(5)	(6)
108	Toluene (Toluol)	100	375	150	560
109	O-Toluidine-Skin (S.C)	2	9	—	—
110	Tributyl phosphate	0.2	2.5	—	—
111	Trichloroethylene	50	270	200	1,080
112	Uranium, natural (as U)	—	0.2	—	0.6
113	Vinyl chloride (H.C.)	5	10	—	—
114	Welding fumes	—	5	—	—
115	Xylene (o-,m-,p-isomers)	100	435	150	655
116	Zinc oxide—				
	(i) Fume	—	5.0	—	10
	(ii) Dust (Total dust)	—	10.00	—	—
117	Zirconium compounds (as Zr)	—	5	—	10

ppm : Parts of vapour or gas per million parts of contaminated air by volume at 25° C and 760 mm. of Mercury.

mg/m³ milligram of substance per cubic metre of air.

* : Not more than 4 times a day with at least 60 min. interval between successive exposures.

$$3^{**} : \text{mg/m}^3 = \frac{\text{Molecular weight}}{24.45} \times \text{ppm}$$

C : denotes ceiling limit.

Skin : denotes potential contribution to the overall exposure by the cutaneous route including mucous membranes and eye.

S.C. : denotes Suspected Human Carcinogen.

H.C. : denotes Confirmed Human Carcinogen.

Substance Permissible time-weighted average concentration
(TWA) (8 hours.)

Silica, SiO₂

(a) Crystalline

(i) Quartz

(1) In terms of dust count $\frac{10600}{\% \text{ Quartz} + 10}$ mppcm

(2) In terms of respirable dust. $\frac{10}{\% \text{ respirable Quartz} + 2}$ mg/m³

(3) In terms of total dust $\frac{30}{\% \text{ Quartz} + 3}$ mg/m³

(ii) Cristobalite : Half the limits given against quartz

(iii) Tridymite : Half the limits given against quartz

(iv) Silica fused : Same limits as for quartz

(v) Tripoli : Same limit as in formula in item (2)
given against quartz.

(b) Amorphous Silicates : 10 mg/m³, Total dust

[Asbestos (H.C.)

(a) Amosite 0.5 fibre/cc***

(b) Chrysotile..... 1.0 fibre/cc***

(c) Crocidolite..... 0.2 fibre/cc***]

Portland Cement : 10 mg/m³, Total dust containing less than
1% quartz.

Coal Dust : 2 mg/m³, respirable dust fraction containing
less than 5% quartz.

mppcm: Million particles per cubic metre of air, based on
impinger samples counted by light-field techniques.

*** (i) For fibres greater than 5 μm in length and less than 5 μm
in breadth with length to breadth ratio equal to or greater than 3:1

(ii) As determined by the membrane filter method at
400-450 x magnification (4mm. objective) phase contrast illumination.

Respirable dust: Fraction passing a size-selector with the following characteristics:

Aerodynamic Diameter (m) (Unit density sphere)	% Passing Selector
2	90
2.5	75
3.5	50
5.0	25
10	0

(By order of the Lieutenant-Governor)

G. SRINIVAS,

Joint Secretary to Government (Labour).